

NO ANALYSIS OR RECOMMENDATIONS
WILL BE MADE IF THIS LABEL IS NOT

Attach to sample bottle

SUBMIT ONE FULL PINT SAMPLE

Dealer Name				
Owner's Name & Mailing Address				
Furnace/Boiler S.N #				
Phone				
THORE				
Email				
Date Collected	/		/	
Does system contain furnace treatment?		Yes	/	No
Does system contain glycol? (antifreeze)		Yes	/	No

We determine which tests to perform based on the information provided on the sample label. Our recommendations are based on these results. Therefore, filling out sample labels correctly and completely is essential.

Cut along dotted lines and attach the above portion to the sample bottle, and the USA or CANADA section (see below) to the outside of the mailing tube.

USA CUSTOMERS USE LABEL BELOW

Return Address		

MAIL TO:
HeatMaster^{SS}
PO Box 373
Walhalla, ND 58282

CANADA CUSTOMERS USE LABEL BELOW

×-	
	Return Address
I I	

MAIL TO:
HeatMaster^{ss}
Box 158
Winkler, MB R6W 4A4



NO ANALYSIS OR RECOMMENDATIONS
WILL BE MADE IF THIS LABEL IS NOT

Attach to sample bottle

SUBMIT ONE FULL PINT SAMPLE

Dealer Name					
Owner's Name & Mailing Address					
Furnace/Boiler S.N #					
Phone					
Email					
Date Collected	/		/		
Does system contain furnace treatment?		Yes	/	No	
Does system contain glycol? (antifreeze)		Yes	/	No	

Cut along dotted lines and attach the above portion to the sample bottle, and the USA or CANADA section (see below) to the outside of the mailing tube.

We determine which tests to perform based on the information

provided on the sample label. Our recommendations are based

on these results. Therefore, filling out sample labels correctly and

completely is essential.

USA CUSTOMERS USE LABEL BELOW

Return Address	
	МА
	Heat N
	DO D

MAIL TO:
HeatMaster^{SS}
PO Box 373
Walhalla, ND 58282

CANADA CUSTOMERS USE LABEL BELOW

Return Address		

MAIL TO:
HeatMaster^{ss}
Box 158
Winkler, MB R6W 4A4